

Designation	ZERO 35
Effect	35W
E-number	52 808 26
Art. number	V-1503520RZ
Primary voltage	230V
Secondary voltage	11,5V
Secondary current	3,1A
Load	0-35 W
Frequency	50Hz
Ambient temperature max (Ta)	40°C
Temperature max (Tc)	90°C
Size (ØxH)	Ø56 H22 mm
Weight	75 g
Cover	Self-extinguishing thermoplastic
- Color	White
- Material	PC
- Flame retardant class	V-2
Protection	
- Overload	Yes, automatic reset
- Overheating	Yes, 110°C
- Short circuit	Yes, automatic reset afterremoval of errors
- Transients	Yes
Connection	
- Primary	Double insulated 2-wire cable 250 mm
- Secondary	Singel insulated 200 mm
Dimming	
	Transistor dimmer (rear edge)
	Tyristor/triac dimmer (front edge)
Area of use	
	For installation
	For detached use
	Approved for mounting on furniture



With soft start	Yes
Isolation class	II
Enclosure class	IP20
Approvals	VDE/CE
Standard	EN 61347-2-2

Besöks-/postadress:
Hilma Anderssons gata 15
421 31 Västra Frölunda

Telefon/fax:
Tel. 031-23 56 00
Fax. 031-22 60 10

E-post:
info@vadsbo.net
order@vadsbo.net

Webb/Facebook:
www.vadsbo.net
facebook.com/Vadsbo

