

## 10,7W 25000h BX

Built-in daylight sensor

Sensor lamps are designed for use in locations where light is only needed when the surroundings darken. They prevent unnecessary illumination and electricity consumption during the day, but turn on automatically when the light level falls below 15 lux. The eco-friendly packages indicate the corresponding incandescent bulb, making the choice easier for consumers. Technical specifications are clearly presented. The colour temperatures are warm white and cool white (2700 K and 4000 K).

Opal classic LED lamp with daylight sensor 10.7W 2700K E27 1060lm 25000h 60x120mm, cardboard packing. Supply frequency ~50/60Hz.



10,7W 25000h BX			
PRODUCT CODE	CODE	KG	PRODUCT FAMILY
4713757	A7GADS	0.068	Sensor

10,7W 25000h BX  
EC001959

#### Mounting

Degree of protection (IP)	Other
---------------------------	-------

#### Structure

Colour housing	White
Energy efficiency class	F
Colour	White

#### Dimming and control

With remote control	No
Dimmable	No
Remote operation possible	No

#### Photometric data

Colour temperature (min) (K)	2700
Luminous flux (min) (lm)	1060
Colour rendering index CRI	80-89
Colour of light acc. EN 12464-1	Warm <3300 K
Colour temperature (max) (K)	2700
Luminous flux (max) (lm)	1060
Colour consistency (McAdam ellipse)	SDCM6
Photobiological safety according to EN 62471	RG1

#### Lifetime and capacity

#### Measurements

Length (mm)	120
Diameter (mm)	60

#### Electrotechnical data

Voltage type	AC
Nominal voltage (min) (V)	220
Nominal current (min) (mA)	86
Nominal voltage (max) (V)	240
Nominal current (max) (mA)	86
Power factor	0.5
Energy Efficiency Index (EEI)	0.132